

	Type	Hits	Search Text	DBs
1	IS&R	635	(438/409,429,431,447,450).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	0	("land@ad<20030828").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	612	S1 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	138	S1 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	617	S3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	736	anod\$6 same hf same porous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	34	(sti or (isolat\$4 near trench\$2)) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	27	S7 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	12	S7 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	27	S8 S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
11	BRS	1585	(boron or "b.sup.+") near15 porous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	1318	S11 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	364	S11 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	1345	S12 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	12	(sti or (isolat\$4 near trench\$2)) and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	0	438/408,433,960	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	IS&R	411	(438/408,433,960).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	396	S17 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	113	S17 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	401	S18 S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
21	BRS	330	S20 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	330	S21 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	329	S22 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	113	(porous or anod\$5) and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	88	(257/e21.547).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	88	S25 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	23	S25 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	88	S26 S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	IS&R	0	(257/E21.888).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	IS&R	93	(257/E21.288).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	54	S30 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	11	S30 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	54	S31 S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	53	S33 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	IS&R	521	(257/e21.545).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	495	S35 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	94	S35 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	500	S36 S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	494	S38 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	1	257/e21.551	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
41	IS&R	439	(257/e21.551).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	429	S41 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	98	S41 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	432	S42 S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	428	S44 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	428	S45 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	420	S45 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	77	(porous or anod\$5 or hf) and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	IS&R	44	(257/e21.565).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	42	S49 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
51	BRS	11	S49 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	42	S50 S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	IS&R	8	((("5091330") or ("5466631") or ("5773352") or ("5950094")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	IS&R	2	("5091330").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	192123	camera.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	0	"digital.ti" and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	0	"digital.ti"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	BRS	21305	digital.ti. and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	38	tft and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	73191	yamazaki.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
61	BRS	7045	shunpei.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	5752	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	BRS	292	sti.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	44	S1 and (oxidiz\$4 near3 silicon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	36	anodizing near3 doped	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	72968	deposition near5 (cvd or thermal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	3873	sti and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	44512	deposition near1 (cvd or thermal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	2681	sti and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	42104	deposition adj1 (cvd or thermal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	2617	sti and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	105	porous and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
11	BRS	771	deposition adj1 (oxidation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	24	sti and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	IS&R	7	((("3640806") or ("3919060")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	2538	(boron or "b.sup.+" with (dose or "10.sup.15" or "10.sup.16") same (thick or thickness or angstrom or angstroms or ".ang." or nm or nanometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	30	(porous with (anodiz\$4 or HF)) and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	29	S15 and @ad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	17	S15 and @rlad<"20030828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	29	S16 S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
11	BRS	27	S9 S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
12	IS&R	505	(257/304).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
13	BRS	319	S12 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
14	BRS	90	S12 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
15	BRS	344	S13 S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
16	IS&R	505	(257/304).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
17	BRS	319	S16 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
18	BRS	90	S16 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
19	BRS	344	S17 S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
20	BRS	142	(silicon adj nitride or sin or si adj1 n) and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
21	BRS	90	(trench with (silicon adj nitride)) same (storage adj node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	41	S21 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	18	S21 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	47	S22 S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	12	((("4200474") or ("4891684") or ("5357132") or ("5587039") or ("5696017")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	IS&R	2	("6156606").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	oxide near spacer with thicnkess	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	375	oxide near spacer with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	68	S28 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	375	oxide near spacer with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	171	S32 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	68	S32 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	187	S33 S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	72	trench and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	115	S35 not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	900	(trench near isolation or sti) with spacer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	102	S38 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	43	S38 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	129	S39 S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	125	S41 not S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	5	("5661072" "5811347" "5851899" "5854121" "5891787").PN.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
42	BRS	8	("6093611").URPN.	USPAT
43	BRS	0	S44 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	0	S44 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	435	gardner.in. and spacer	USPAT
46	BRS	364	S47 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	92	S47 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	394	S48 S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	20	((boron or "b.sup.+") near15 dose) same porous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	207	(boron or "b.sup.+") near15 (dose with "cm.sup.3")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	100	S52 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	50	S52 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	109	S53 S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
54	BRS	530	(porous near5 silicon) same (boron or "b.sup.+")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	284	S56 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	89	S56 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	302	S57 S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	BRS	101	(trench or recess or opening or cavity) and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	36	(porous near5 silicon) same ((boron or "b.sup.+") near15 (depth or thick or thickness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	19	S61 and @ad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	BRS	4	S61 and @rlad<"19981117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	23	S62 S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	BRS	3827	GOS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
64	BRS	3194	epitaxial\$3 near15 trench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	2660	(etch44 or remov\$4) near15 oxide near15 epitaxial\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	BRS	160	S74 same S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	BRS	20527	silicon near15 trench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	BRS	347	S74 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	187	S78 not S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	BRS	3	(porous near15 trench) and (oxidiz\$4 near15 porous) and ((deposit or depositing or deposited or cvd) near15 oxide near15 trench) and ((spacer) near15 trench)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	2	("5110755").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	5	("5110755").URPN.	USPAT
4	BRS	14	("3954523" "4016017" "4104090" "4346513" "4380865" "4505766" "4532700" "4604162" "4615746" "4628591" "4653177" "4735679" "4760036" "4810667").PN.	US-PGPUB; USPAT; USOCR
5	IS&R	2	("6436791").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	9	("4256514" "4471525" "4528047" "4847214" "4942137" "5387538" "5700712" "5930646" "6306723").PN.	US-PGPUB; USPAT; USOCR
7	IS&R	2	("6784956").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB